

UNITED STATES OF AMERICA
DEPARTMENT OF TRANSPORTATION
FEDERAL AVIATION ADMINISTRATION

Air Agency Certificate

Number WD4R618M

This certificate is issued to

Banyan Air Services, Inc.

whose business address is

**5360 NW 20th Terrace
Fort Lauderdale, FL 33309**

*upon finding that its organization complies in all respects
with the requirements of the Federal Aviation Regulations
relating to the establishment of an Air Agency, and is
empowered to operate an approved* **Repair Station**

with the following ratings:

**Airframe (5/28/1987)
Limited Powerplant (11/18/2012)
Limited Propeller (7/20/2007)
Limited Accessory (7/20/2007)
Radio (7/20/2016)
Limited Instrument (7/20/2016)
Limited Non-Destructive Inspection, Testing & Processing (7/20/2016)**

*This certificate, unless canceled, suspended, or revoked,
shall continue in effect* **Indefinitely.**

Date issued:

May 21, 1984

By direction of the Administrator

Robert A. Robinson

FOR: **Sergio Lopez**

Manager, South Florida FSDO-19

**This Certificate is not Transferable, AND ANY MAJOR CHANGE IN THE BASIC FACILITIES, OR IN THE LOCATION THEREOF,
SHALL BE IMMEDIATELY REPORTED TO THE APPROPRIATE REGIONAL OFFICE OF THE FEDERAL AVIATION ADMINISTRATION**

Any alteration of this certificate is punishable by a fine of not exceeding \$1,000, or imprisonment not exceeding 3 years, or both

A003 . Ratings and Limitations

HQ Control: 04/03/2017

HQ Revision: 01a

The certificate holder is authorized the following Ratings and/or Limitations:

Class Ratings

Airframe Class 3: All-Metal Construction of Small Aircraft

Radio Class 1: Communications Equipment

Radio Class 2: Navigational Equipment

Radio Class 3: Radar Equipment

Limited Ratings

<u>Rating</u>	<u>Manufacturer</u>	<u>Make/Model</u>	<u>Limitations</u>
Airframe	Beechcraft Corporation	300, B-300, 1900 Series, MU300 and 400 Series, 700, 750, 800, 800XP, 850XP, 900XP and 1000 Series	All work is to be accomplished in accordance with the manufacturer's current technical data or other approved data acceptable to the administrator.
	Textron Aviation, Inc.	525B, 525C, 550, S550, 551, 560 Series, and 650, 680 Series and 750 Series.	
	Gulfstream Aerospace Corporation	GIV, GV, G550	
	Learjet Inc.	30 Series, 45, 55, and 60 Series	
	Piaggio	P-180 Series	
	Dassault Aviation	Falcon 50, 900, 2000 Series.	
	Bombardier	Challenger 300 Series, 601 Series, 604 and 605	

<u>Rating</u>	<u>Manufacturer</u>	<u>Make/Model</u>	<u>Limitations</u>
		Series.	
	Bombardier	BD-700-1A11 Global 5000	
	Bombardier	BD-700-1A10 Global 6000	
	Honda Aircraft	HA-420	
	Pilatus Aircraft Ltd	PC-24.	
	From the Capability List, as amended.	From the Capability List, as amended.	Removal, test, reinstallation and/or replacement of parts associated with RVSM equipment, static pressure systems, altimeters, air data computer systems, automatic pressure altitude reporting equipment and ATC transponder systems. RVSM test and inspections as outlined in the aircraft maintenance manuals operator RVSM maintenance programs, and instructions for continued airworthiness.
PowerPlant	Pratt & Whitney Canada, Inc.	PT6A Series Engines, JT15D Series Engines.	Authorization is limited to inspection, removal/installation of engines, accessories, and components.
	Allied Signal, Inc.	Garrett 731 Series, Garrett TPE331-1 thru - 12 Series Engines.	adjustments, minor repairs, and alterations. This authorization is further limited to those engines installed on the aircraft authorized in the Limited Airframe Rating.
	Pratt & Whitney Canada, Inc.	P & W PT6A Series Engines.	Hot section inspection and repair including CT disk reblade, true and balance inner exit duct assy., rework and pregrind outer exit duct, clean and inspect. Bleed valve repair and functional test, fuel nozzels clean and functional test.
		P & W JT15D Series Engines.	Hot section inspection and repair including inner exit duct assy rework and pregrind. Outer exit clean and inspect. Combustion liner clean and inspect. Fuel nozzels clean and functional test.
	Allied Signal, Inc.	Garrett TPE 331-1 thru - 12 Series Engines	Hot section inspection and repair. Gear box inspection and repair.
	Honda Aero	Honda Aero HF-120	Authorization is limited to inspection, removal/installation of engines, accessories, and components.

<u>Rating</u>	<u>Manufacturer</u>	<u>Make/Model</u>	<u>Limitations</u>
	Williams International Company, LLC	FJ44-1A, -2A, -2C, -3A, -3AP, -4A	Authorization is limited to inspection, removal/installation of engines, accessories, and components.
Propeller	Hartzell	Limited to propellers installed on aircraft	Inspection, repair, adjustment and flushing of propellers not requiring hub
	McCauley	make/model listed on repair station operations	disassembly or blade removal and excluding overhaul
	Dowty	specifications	
Accessories	Ni-Cad & Lead Acid aircraft batteries	From the Capability List, as amended.	Limited to batteries installed on aircraft make/model as described in Ops Spec paragraph A003, limited airframe.
Accessories	From the accepted Capability List, as amended.	From the accepted Capability List, as amended.	Limited to Electronic accessories, all work Shall be accomplished in accordance with the Manufacturers' current technical data, the customers' Air Carrier Manual (CFR 145.205), or other data approved by the Administrator.
Instruments - Mechanical	From the accepted Capability List, as amended.	From the accepted Capability List, as amended.	Work Shall be accomplished in accordance with the Manufacturers' current technical data, the customers' Air Carrier Manual (CFR 145.205), or other data approved by the Administrator.
Instruments - Electronic	From the accepted Capability List, as amended.	From the accepted Capability List, as amended.	Work Shall be accomplished in accordance with the Manufacturers' current technical data, the customers' Air Carrier Manual (CFR 145.205), or other data approved by the Administrator.
Instruments	Altimeter systems, air data and automatic pressure reporting systems	From the Capability List, as amended.	In accordance with FAR 43, Appendix E as required by FAR 91.411 Test and inspection of Static Pressure Systems, Altimeter Systems, Air Data and Automatic Pressure Altitude Reporting Systems in accordance with FAR 43, Appendix E as required by FAR 91.411
Propellers	BF Goodrich, Hartzell, McCauley and SMR propeller de-icer systems	Limited to propeller deicer systems installed on aircraft make/model listed on repair station operations specifications.	
Nondestructive Inspection, Testing, and Processing.	Liquid Penetrant Testing.	Limited to aircraft make/model listed on repair station operations specifications.	Perform these processes in accordance with MIL-STD-6866, ASTM E1417, ASTM E165 and AMS 2644 and/or equipment manufacturer's manual as revised.

<u>Rating</u>	<u>Manufacturer</u>	<u>Make/Model</u>	<u>Limitations</u>
	Magnetic Particle.	Limited to aircraft make/model listed on repair station operations specifications.	Perform these processes in accordance with MIL-STD-1949A and ASTM E1444 and/or equipment manufacturer's manual as revised.
	Eddy Current.	Limited to aircraft make/model listed on repair station operations specifications.	Perform these processes in accordance with MIL-HDBK-728/2 and/or equipment manufacturer's manual as revised.

Limited Ratings - Specialized Services

<u>Rating</u>	<u>Specifications</u>	<u>Limitations</u>
None Authorized		

1. Issued by the Federal Aviation Administration.
2. These Operations Specifications are approved by direction of the Administrator.



Digitally signed by Wilbert Quintero, Principal Maintenance Inspector (SO19)
[1] EFFECTIVE DATE: 8/18/2022, [2] AMENDMENT #: 39
DATE: 2022.08.18 12:17:09 -05:00

3. I hereby accept and receive the Operations Specifications in this paragraph.

Digitally signed by Lewis Homsher, QA Manager
DATE: 2022.08.18 10:50:47 -05:00

A004 . Summary of Special Authorizations and Limitations

HQ Control: 09/23/1998

HQ Revision: 010

a. The certificate holder, in accordance with the reference paragraphs, is authorized to:

	Reference Paragraphs
Use an approved electronic recordkeeping system, electronic/digital signature, and/or electronic media.	A025
Conduct operations choosing to have an antidrug and alcohol misuse prevention program.	A449
Conduct operations choosing to have an antidrug and alcohol misuse prevention program.	A449
Perform work, excluding continuous operations, at additional locations other than at its primary Fixed Location.	D100

b. The certificate holder is *not authorized and shall not*:

	Reference Paragraphs
Use Exemptions.	A005
Perform maintenance with EASA ratings where the scope of work is authorized by a BASA/MAG (U.S.-EU), MIP/MaG (U.S.-Swiss).	A060
Perform work, including continuous operations, at additional locations other than at its primary fixed location.	A101
Perform maintenance in accordance with foreign repair station geographic authorizations.	B050
Perform line maintenance for cert. holders conducting operations under Parts 121 and 135 and for foreign carriers/persons operating non-U.S. registered aircraft in common carriage under Part 129, apart from D100 which authorizes that work away from station.	D107

1. Issued by the Federal Aviation Administration.
2. These Operations Specifications are approved by direction of the Administrator.



Digitally signed by John Kirkland, Principal Maintenance Inspector (SO19)
[1] SUPPORT INFO: Electronic Media authorized
[2] EFFECTIVE DATE: 8/18/2016, [3] AMENDMENT #: 8
DATE: 2016.08.18 11:44:03 -05:00

3. I hereby accept and receive the Operations Specifications in this paragraph.

Handwritten signature of Lewis Homsher in blue ink.

Homsher, Lewis, Chief Inspector

Handwritten date "8/23/2014" in blue ink.

Date

A449 . Drug and Alcohol Testing Program

HQ Control: 08/30/2021

HQ Revision: 00b

- a. The 14 CFR Part 145 repair station certificate holder has implemented a drug and alcohol testing program because the certificate holder performs safety-sensitive functions for a 14 CFR Part 121, 121/135, and/or 135 certificate holder, and/or for a 14 CFR Part 91 operator conducting operations under § 91.147.
- b. The certificate holder certifies that it will comply with the requirements of 14 CFR Part 120 and 49 CFR Part 40 for its drug and alcohol testing program.
- c. Drug and alcohol testing program records are maintained and available for inspection by the FAA's Drug Abatement Compliance and Enforcement Inspectors at the location listed in Table 1 below:

Table 1

Location & Telephone of Drug and Alcohol Testing Program Records	
Telephone Number:	A1 (954) 492-4341
Address:	5360 NW 20th Terrace
Address:	
City:	Fort Lauderdale
State:	FL
Zip code:	33309

d. Limitations and Provisions.

(1) The FAA's Drug Abatement Division is responsible for oversight and enforcement of the DOT/FAA-mandated drug and alcohol testing program. Questions regarding the program requirements or regulations must be directed to the Drug Abatement Division at 202-267-8442 or drugabatement@faa.gov.

(2) The certificate holder is responsible for updating this operations specification when any of the following changes occur:

(a) Phone number and address where the drug and alcohol testing program records are kept.

(b) If the certificate holder's number of safety-sensitive employees goes to 50 and above, or falls below 50 safety-sensitive employees.

(3) The certificate holder with 50 or more employees performing a safety-sensitive function on January 1 of the calendar year must submit an annual report to the Drug Abatement Division of the FAA.

(4) The certificate holder with fewer than 50 employees performing a safety-sensitive function

on January 1 of any calendar year must submit an annual report upon request of the Administrator.

e. The certificate holder has 50 or more safety-sensitive employees.

1. Issued by the Federal Aviation Administration.

2. These Operations Specifications are approved by direction of the Administrator.



Digitally signed by Wilbert Quintero, Principal Maintenance Inspector (SO19)

[1] EFFECTIVE DATE: 8/18/2022, [2] AMENDMENT #: 8

DATE: 2022.08.18 12:18:51 -05:00

3. I hereby accept and receive the Operations Specifications in this paragraph.

Digitally signed by Lewis Homsher, QA Manager

DATE: 2022.08.18 10:52:26 -05:00
